

TERRESTRIAL ATLANTIC REGION
REFERENCE LIST

April 2018

Code	P	Description	BE	DE	DK	ES	FR	IE	NL	PT	UK
HABITAT TYPES											
1130		Estuaries	X	X	X	X	X	X	X	X	X
1140		Mudflats and sandflats not covered by seawater at low tide	X	X	X	X	X	X	X	X	X
1150	*	Coastal lagoons		X	X	X	X	X			X
1160		Large shallow inlets and bays		X	X	X	X	X	X		X
1210		Annual vegetation of drift lines		X	X	X	X	X		X	X
1220		Perennial vegetation of stony banks		X	X		X	X			X
1230		Vegetated sea cliffs of the Atlantic and Baltic Coasts		X	X	X	X	X		X	X
1310		Salicornia and other annuals colonizing mud and sand	X	X	X	X	X	X	X	X	X
1320		Spartina swards (<i>Spartinion maritimae</i>)	X	X	X	X	X	X	X	X	X
1330		Atlantic salt meadows (<i>Glauco-Puccinellietalia maritimae</i>)	X	X	X	X	X	X	X	X	X
1340	*	Inland salt meadows		X							X
1410		Mediterranean salt meadows (<i>Juncetalia maritimi</i>)					X	X			
1420		Mediterranean and thermo-Atlantic halophilous scrubs (<i>Sarcocornetea fruticosi</i>)					X	X	X	X	X
2110		Embryonic shifting dunes	X	X	X	X	X	X	X	X	X
2120		Shifting dunes along the shoreline with <i>Ammophila arenaria</i> ("white dunes")	X	X	X	X	X	X	X	X	X
2130	*	Fixed coastal dunes with herbaceous vegetation ("grey dunes")	X	X	X	X	X	X	X	X	X
2140	*	Decalcified fixed dunes with <i>Empetrum nigrum</i>		X	X			X	X		X
2150	*	Atlantic decalcified fixed dunes (<i>Calluno-Ulicetea</i>)	X	X			X	X	X	X	X
2160		Dunes with <i>Hippophaë rhamnoides</i>	X	X	X		X		X		X
2170		Dunes with <i>Salix repens</i> ssp. <i>argentea</i> (<i>Salicion arenariae</i>)	X	X	X		X	X	X		X
2180		Wooded dunes of the Atlantic, Continental and Boreal region	X	X	X		X		X	X	X
2190		Humid dune slacks	X	X	X		X	X	X	X	X
21A0		Machairs (* in Ireland)						X			X
2230		Malcolmietalia dune grasslands				X					X
2250	*	Coastal dunes with <i>Juniperus</i> spp.			X						X

Code	P	Description	BE	DE	DK	ES	FR	IE	NL	PT	UK
2260		Cisto-Lavenduletalia dune sclerophyllous scrubs				X	X				
2270	*	Wooded dunes with <i>Pinus pinea</i> and/or <i>Pinus pinaster</i>					X				
2310		Dry sand heaths with <i>Calluna</i> and <i>Genista</i>	X	X	X				X		
2320		Dry sand heaths with <i>Calluna</i> and <i>Empetrum nigrum</i>		X	X				X		
2330		Inland dunes with open <i>Corynephorus</i> and <i>Agrostis</i> grasslands	X	X	X		X		X	X	X
3110		Oligotrophic waters containing very few minerals of sandy plains (<i>Littorelletalia uniflorae</i>)	X	X	X	X	X	X	X	X	X
3120		Oligotrophic waters containing very few minerals generally on sandy soils of the West Mediterranean, with <i>Isoetes</i> spp.					X				
3130		Oligotrophic to mesotrophic standing waters with vegetation of the <i>Littorelletea uniflorae</i> and/or of the Isoëto-Nanojuncetea	X	X	X		X	X	X		X
3140		Hard oligo-mesotrophic waters with benthic vegetation of <i>Chara</i> spp.	X	X	X	X	X	X	X		X
3150		Natural eutrophic lakes with <i>Magnopotamion</i> or <i>Hydrocharition</i> - type vegetation	X	X	X	X	X	X	X		X
3160		Natural dystrophic lakes and ponds	X	X	X	X	X	X	X	X	X
3170	*	Mediterranean temporary ponds				X	X			X	X
3180	*	Turloughs						X			X
3220		Alpine rivers and the herbaceous vegetation along their banks				X					
3240		Alpine rivers and their ligneous vegetation with <i>Salix elaeagnos</i>				X					
3250		Constantly flowing Mediterranean rivers with <i>Glaucium flavum</i>				X					
3260		Water courses of plain to montane levels with the <i>Ranunculion fluitantis</i> and <i>Callitricho-Batrachion</i> vegetation	X	X	X	X	X	X	X	X	X
3270		Rivers with muddy banks with <i>Chenopodium rubri</i> p.p. and <i>Bidention</i> p.p. vegetation	X	X	X	X	X	X	X	X	X
4010		Northern Atlantic wet heaths with <i>Erica tetralix</i>	X	X	X	X	X	X	X	X	X
4020	*	Temperate Atlantic wet heaths with <i>Erica ciliaris</i> and <i>Erica tetralix</i>				X	X			X	X
4030		European dry heaths	X	X	X	X	X	X	X	X	X
4040	*	Dry Atlantic coastal heaths with <i>Erica vagans</i>				X	X				X
4060		Alpine and Boreal heaths				X		X			X
4080		Sub-Arctic <i>Salix</i> spp. scrub									X
4090		Endemic oro-Mediterranean heaths with gorse				X	X				
5110		Stable xerothermophilous formations with <i>Buxus sempervirens</i> on rock slopes (<i>Berberidion</i> p.p.)	X		X	X					X

Code	P	Description	BE	DE	DK	ES	FR	IE	NL	PT	UK
5120		Mountain <i>Cytisus purgans</i> formations				X					
5130		Juniperus communis formations on heaths or calcareous grasslands	X	X	X		X	X	X		X
5210		Arborescent matorral with Juniperus spp.				X					
5230	*	Arborescent matorral with Laurus nobilis				X				X	
6110	*	Rupicolous calcareous or basophilic grasslands of the Alysso-Sedion albi	X			X		X			
6120	*	Xeric sand calcareous grasslands	X	X		X		X			
6130		Calaminarian grasslands of the Violetalia calaminariae	X			X	X	X			X
6140		Siliceous Pyrenean Festuca eskia grasslands				X					
6150		Siliceous alpine and boreal grasslands									X
6160		Oro-Iberian Festuca indigesta grasslands				X				X	
6170		Alpine and subalpine calcareous grasslands				X					X
6210		Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	X	X	X	X	X	X	X		X
6220	*	Pseudo-steppe with grasses and annuals of the Thero-Brachypodietea				X	X				
6230	*	Species-rich Nardus grasslands, on siliceous substrates in mountain areas (and submountain areas, in Continental Europe)	X	X	X	X	X	X	X	X	X
6240	*	Sub-Pannonic steppic grasslands		X							
6410		Molinia meadows on calcareous, peaty or clayey-silt-laden soils (Molinion caeruleae)	X	X	X	X	X	X	X	X	X
6420		Mediterranean tall humid grasslands of the Molinio-Holoschoenion				X	X				
6430		Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	X	X	X	X	X	X	X	X	X
6440		Alluvial meadows of river valleys of the Cnidion dubii		X							
6510		Lowland hay meadows (<i>Alopecurus pratensis</i> , <i>Sanguisorba officinalis</i>)	X	X		X	X	X	X	X	X
6520		Mountain hay meadows									X
7110	*	Active raised bogs	X	X	X	X	X	X	X		X
7120		Degraded raised bogs still capable of natural regeneration	X	X	X	SR	X	X	X		X
7130		Blanket bogs (* if active bog)				X	X	X			X
7140		Transition mires and quaking bogs	X	X	X	X	X	X	X	X	X
7150		Depressions on peat substrates of the Rhynchosporion	X	X	X	X	X	X	X	X	X
7210	*	Calcareous fens with <i>Cladium mariscus</i> and species of the <i>Caricion davallianae</i>	X	X		X	X	X	X		X

Code	P	Description	BE	DE	DK	ES	FR	IE	NL	PT	UK
91F0		Riparian mixed forests of <i>Quercus robur</i> , <i>Ulmus laevis</i> and <i>Ulmus minor</i> , <i>Fraxinus excelsior</i> or <i>Fraxinus angustifolia</i> , along the great rivers (<i>Ulmenion minoris</i>)	X	X		X		X			
91J0	*	Taxus baccata woods of the British Isles						X			X
91T0		Central European lichen Scots pine forests		X							
9230		Galicio-Portuguese oak woods with <i>Quercus robur</i> and <i>Quercus pyrenaica</i>				X	X				X
9240		<i>Quercus faginea</i> and <i>Quercus canariensis</i> Iberian woods					X				
9260		<i>Castanea sativa</i> woods					X	X			
92A0		<i>Salix alba</i> and <i>Populus alba</i> galleries					X	X			
9330		<i>Quercus suber</i> forests					X	X			
9340		<i>Quercus ilex</i> and <i>Quercus rotundifolia</i> forests					X	X			
9380		Forests of <i>Ilex aquifolium</i>				X					X
9540		Mediterranean pine forests with endemic Mesogean pines					X				
9560	*	Endemic forests with <i>Juniperus</i> spp.					X				
9580	*	Mediterranean Taxus baccata woods				X					
MAMMALS											
1301		<i>Galemys pyrenaicus</i>					X	X			X
1302		<i>Rhinolophus mehelyi</i>					X				
1303		<i>Rhinolophus hipposideros</i>		X		X	X	X			X X
1304		<i>Rhinolophus ferrumequinum</i>		X		X	X				X X
1305		<i>Rhinolophus euryale</i>				X	X				X
1307		<i>Myotis blythii</i>				X	X				
1308		<i>Barbastella barbastellus</i>	X	X		X	X				X X
1310		<i>Miniopterus schreibersii</i>				X	X				X
1318		<i>Myotis dasycneme</i>	X	X	X		X		X		
1321		<i>Myotis emarginatus</i>	X	X		X	X		X	X	
1323		<i>Myotis bechsteinii</i>	X	X		X	X				X
1324		<i>Myotis myotis</i>	X	X		X	X		X	X	
1337		<i>Castor fiber</i>	X	X	X		X		X		
1340	*	<i>Microtus oeconomus arenicola</i>							X		

Code	P	Description	BE	DE	DK	ES	FR	IE	NL	PT	UK
1352	*	<i>Canis lupus</i>								X	
1354	*	<i>Ursus arctos</i>				X					
1355		<i>Lutra lutra</i>	X	X	X	X	X	X	X	X	
1356	*	<i>Mustela lutreola</i>				X	X				
REPTILES											
1220		<i>Emys orbicularis</i>				X	X			X	
1221		<i>Mauremys leprosa</i>				X				X	
1249		<i>Lacerta monticola</i>				X					
1259		<i>Lacerta schreiberi</i>				X				X	
AMPHIBIANS											
1166		<i>Triturus cristatus</i>	X	X	X	X		X	X	X	
1172		<i>Chioglossa lusitanica</i>				X				X	
1188		<i>Bombina bombina</i>	X								
1193		<i>Bombina variegata</i>	X			X		X			
1194		<i>Discoglossus galganoi</i>				X				X	
FISH											
1095		<i>Petromyzon marinus</i>		X	X	X	X	X	X	X	X
1096		<i>Lampetra planeri</i>	X	X	X	X	X	X	X		X
1099		<i>Lampetra fluviatilis</i>	X	X	X		X	X	X		X
1101	*	<i>Acipenser sturio</i>		SR			X				
1102		<i>Alosa alosa</i>		X	X	X	X	X	X	X	X
1103		<i>Alosa fallax</i>	X	X	X	X	X	X	X	X	X
1106		<i>Salmo salar</i>	X	X	X	X	X	X	X	X	X
1113	*	<i>Coregonus oxyrhynchus</i>	X	X							
1116		<i>Chondrostoma polylepis</i>				X				X	
1126		<i>Chondrostoma toxostoma</i>				X	X				
1127		<i>Rutilus arcasii</i>				X				SR	
1130		<i>Aspius aspius</i>	X								
1138		<i>Barbus meridionalis</i>					X				

Code	P	Description	BE	DE	DK	ES	FR	IE	NL	PT	UK
1145		<i>Misgurnus fossilis</i>	X	X	X		X		X		
1149		<i>Cobitis taenia</i>	X	X		X	X		X		X
1163		<i>Cottus gobio</i>	X	X		X	X		X		X
5339		<i>Rhodeus amarus</i>	X	X			X		X		
INVERTEBRATES											
1007		<i>Elona quimperiana</i>				X	X				
1013		<i>Vertigo geyeri</i>			SR			X			X
1014		<i>Vertigo angustior</i>	X	X			X	X	X		X
1015		<i>Vertigo genesii</i>									X
1016		<i>Vertigo mouliniana</i>	X	X			X	X	X		X
1024		<i>Geomalacus maculosus</i>			X		X			X	
1029		<i>Margaritifera margaritifera</i>		X	X	X	X	X		SR	X
1032		<i>Unio crassus</i>	X	X			X				
1036		<i>Macromia splendens</i>				X	X				
1037		<i>Ophiogomphus cecilia</i>		X	X		X		X		
1041		<i>Oxygastra curtisii</i>				X	X				X
1042		<i>Leucorrhinia pectoralis</i>	X	X			X		X		
1044		<i>Coenagrion mercuriale</i>		X		X	X				X
1046		<i>Gomphus graslinii</i>				X	X				
1060		<i>Lycaena dispar</i>		EX			X		X		
1065		<i>Euphydryas aurinia</i>		X	X	X	X	X		X	X
1071		<i>Coenonympha oedippus</i>					X				
1074		<i>Eriogaster catax</i>					X	X			
1079		<i>Limoniscus violaceus</i>					X	X			X
1081		<i>Dytiscus latissimus</i>									X
1082		<i>Graphoderus bilineatus</i>	X				X		X		
1083		<i>Lucanus cervus</i>	X	X		X	X		X	X	X
1084	*	<i>Osmoderma eremita</i>	X				X				
1086		<i>Cucujus cinnaberinus</i>				X					

Code	P	Description	BE	DE	DK	ES	FR	IE	NL	PT	UK
1087	*	<i>Rosalia alpina</i>				X	X				
1088		<i>Cerambyx cerdo</i>		X		X	X			X	
1092		<i>Austropotamobius pallipes</i>				X	X	X			X
1990		<i>Margaritifera durrovensis</i>							X		
4035		<i>Gortyna borellii lunata</i>						X			X
4045		<i>Coenagrion ornatum</i>			X						
4056		<i>Anisus vorticulus</i>	X	X			X		X		X
6177		<i>Phengaris teleius</i>					X		X		
6179		<i>Phengaris nausithous</i>			X		X			X	
6199	*	<i>Euplagia quadripunctaria</i>	X	X		X	X		X	X	SR
PLANTS											
1383		<i>Dichelyma capillaceum</i>			X		X				
1385		<i>Bruchia vogesiaca</i>								X	SR
1386		<i>Buxbaumia viridis</i>									X
1387		<i>Orthotrichum rogeri</i>							X		SR
1388	*	<i>Bryoerythrophyllum campylocarpum</i>									X
1390	*	<i>Marsupella profunda</i>								X	X
1395		<i>Petalophyllum ralfsii</i>						X			X
1398		<i>Sphagnum pylaesii</i>				X	X				
1416		<i>Isoetes boryana</i>					X				
1419		<i>Botrychium simplex</i>	X								
1420		<i>Culcita macrocarpa</i>					X				X
1421		<i>Trichomanes speciosum</i>					X	X	X		X X
1425	*	<i>Dryopteris corleyi</i>					X				
1426		<i>Woodwardia radicans</i>				X					X
1428		<i>Marsilea quadrifolia</i>						X			
1437		<i>Thesium ebracteatum</i>	X								
1441		<i>Rumex rupestris</i>				X	X				X
1493		<i>Sisymbrium supinum</i>					X				

Code	P	Description	BE	DE	DK	ES	FR	IE	NL	PT	UK
1506	*	<i>Biscutella neustriaca</i>				X					
1528		<i>Saxifraga hirculus</i>			X			X		X	
1585	*	<i>Viola hispida</i>						X			
1601	*	<i>Oenanthe conioides</i>		X							
1603	*	<i>Eryngium viviparum</i>				X	X				
1607	*	<i>Angelica heterocarpa</i>						X			
1614		<i>Apium repens</i>	X	X		X	X		X	X	
1618		<i>Thorella verticillatinundata</i>						X			
1625		<i>Soldanella villosa</i>						X	X		
1639		<i>Limonium lanceolatum</i>						X			
1654		<i>Gentianella anglica</i>									X
1658	*	<i>Centaurium somedanum</i>					X				
1676	*	<i>Omphalodes littoralis</i>					X	X			
1733		<i>Veronica micrantha</i>				X				X	
1753		<i>Jasione lusitanica</i>				X				X	
1775		<i>Santolina semidentata</i>				X					
1793		<i>Centaurea micrantha</i> subsp. <i>herminii</i>									X
1796	*	<i>Centaurea borjae</i>				X					
1802	*	<i>Aster pyrenaeus</i>				X					
1805	*	<i>Jurinea cyanooides</i>			X						
1831		<i>Luronium natans</i>	X	X	X	X	X		X	X	
1832		<i>Caldesia parnassifolia</i>					X				
1833		<i>Najas flexilis</i>			X			X			X
1857		<i>Narcissus pseudonarcissus</i> subsp. <i>nobilis</i>				X					X
1862		<i>Narcissus cyclamineus</i>			X						X
1865		<i>Narcissus asturiensis</i>			X						
1868		<i>Narcissus triandrus</i> subsp. <i>capax</i>					X				
1884		<i>Festuca brigantina</i>			X						
1885		<i>Festuca elegans</i>				X				X	

Code	P	Description	BE	DE	DK	ES	FR	IE	NL	PT	UK
1887		<i>Coleanthus subtilis</i>				X					
1890		<i>Festuca henriquesii</i>								X	
1891		<i>Festuca summilusitana</i>				X				X	
1902		<i>Cypripedium calceolus</i>		X							X
1903		<i>Liparis loeselii</i>	X	X		X		X	X	X	
6216		<i>Hamatocaulis vernicosus</i>	X	X	X	X		X	X		X